

# ORTHOPAEDICS



FOR PRIMARY  
HEALTH CARE



**LION**  
LEARNING INNOVATION VIA  
ORTHOPAEDIC NETWORKS

EDITOR: **MICHAEL HELD**

UNIVERSITY OF CAPE TOWN'S **ORTHOPAEDIC DEPARTMENT**

# Approach to orthopaedic X-rays

by Maritz Laubscher, Michael Held & Graham McCollum

---

## Learning objective

1. Systematically describe a fracture on an X-ray.

## Basics

You can remember a simple approach an XRs through the acronym **ABCS** (Adequacy, Bone, Cartilage, Soft tissue).

Specific views need to be requested depending on the suspected injured joint.

Joint	Views
<b>C-spine</b>	AP, lateral, open mouth (dens injuries)
<b>Shoulder</b>	AP, Y-view, axillary view
<b>Elbow</b>	AP, lateral, Greenspan (radial head and neck #)
<b>Wrist</b>	Scaphoid views
<b>Pelvis</b>	AP, inlet view, outlet view
<b>Acetabulum</b>	AP, judet views - oburator oblique, iliac oblique
<b>Ankle</b>	AP, lateral, Mortise views (talar shift and syndesmotic injuries)
<b>Foot</b>	AP, lateral, oblique
<b>Markers for GSWs</b>	help understand bullet tracts
<b>Stress views</b>	Done by orthoped

## A. Adequacy

Is this an adequate X-ray regarding demographic information of the patient, date, time, and site/site, view or projection? (e.g. AP X-ray of the right shoulder showing distal to the midshaft

of the humerus and medial to past the mid clavicle but not including the sternoclavicular joint), Rule of Twos.

**The Rule of Twos:** When requesting and evaluating orthopaedic X-rays, it is important to always apply the Rule of Twos:

- **2 views:** Usually AP and lateral.
- **2 joints:** Include the joint above and below the bone with the pathology.
- **2 limbs:** Useful for comparison, particularly in children with growth plates provided the other side is normal.
- **2 opinions**
- **2 occasions:** Particularly in fractures before and after reduction or application of splints/casts.

## B. Bone

Assess from outside (cortex) to inside (medullary cavity) and trace the outline of the bone.

- **Density:** 'Darker', less distinct bone projection with thin cortices is described as osteopaenic. Lesions are described compared to the surrounding bone: Lytic = density is

- lower, sclerotic = density is higher, or a combination described as mixed.



*Osteolytic lesion of an osteochondroma, a common and benign cartilage lesion affecting young people (Image: Thomas Hilton)*


- **Fracture:** Any disruption or break in the cortex should be described according to its location (diaphysis, metaphysis, epiphysis, intra or extra articular), pattern (simple or complex/ comminuted) and displacement.
- **Displacement** describes how the distal part of the bone has moved relative to the proximal part of the bone. The displacement should be described in at least 2 planes, the coronal plane as seen on an AP X-ray and the sagittal plane as seen on a lateral X-ray. The axial plane displacement is rotation and often needs to be assessed clinically as it is not obvious on AP and lateral X-ray. Displacement can be described as LARA (length, apposition, rotation and angulation).

**Example:** The midshaft transverse tibia fracture is shifted 25% medial and 25% posterior with 10° of varus tilt and 30° of anterior tilt, there is a 5mm of impaction.

## C. Cartilage/joint

Assess for joint **congruency**; **subluxation** is when the joint is partially in tact and dislocation is when there is no contact between the articular surfaces.

Assess for signs of cartilage **degeneration** or **osteoarthritis**; joint space narrowing, osteophytes, subchondral sclerosis and subchondral cysts.



*Osteoarthritis of the left hip*

*A) joint space narrowing; B) osetophytes; C) subchondral sclerosis and D) subchondral cysts*

## S. Soft tissue

- **Swelling** or signs of joint effusion or haemarthrosis.
- **Gas** suggesting an open wound or infection.
- **Foreign body**, e.g. glass.
- **Discontinuity** of the soft tissue line or dressings, indicating a wound.

## References

### Modified images

1. Osteolytic lesion: [https://commons.wikimedia.org/wiki/File:Ganglio\\_intraosseo.png](https://commons.wikimedia.org/wiki/File:Ganglio_intraosseo.png)
2. Osteoarthritis: [https://commons.wikimedia.org/wiki/File:Severe\\_\(T%C3%B6nnis\\_grade\\_3\)\\_osteoarthritis\\_of\\_the\\_hip.jpg](https://commons.wikimedia.org/wiki/File:Severe_(T%C3%B6nnis_grade_3)_osteoarthritis_of_the_hip.jpg)

**Editor:** Michael Held

**Conceptualisation:** Maritz Laubscher & Robert Dunn

**Cover design:** Carlene Venter  
(Creative Waves Brand Design)

**Developmental editing and design:**  
Vela Njisanane and Phinda Njisanane

## ABOUT THE BOOK

Informed by experts: Most patients with orthopaedic pathology in low to middle-income countries are treated by non-specialists. This book was based on a modified Delphi consensus study\* with experts from Africa, Europe, and North America to provide guidance to these health care workers. Knowledge topics, skills, and cases concerning orthopaedic trauma and infection were prioritised. Acute primary care for fractures and dislocations ranked high.

Furthermore, the diagnosis and the treatment of conditions not requiring specialist referral were prioritised.

\* Held et al. Topics, Skills, and Cases for an Undergraduate Musculoskeletal Curriculum in Southern Africa: A Consensus from Local and International Experts. JBJS. 2020 Feb 5;102(3):e10.

## THE LION

The Learning Innovation via Orthopaedic Network (LION) aims to improve learning and teaching in orthopaedics in Southern Africa and around the world. These authors have contributed the individual chapters and are mostly orthopaedic surgeons and trainees in Southern Africa who have experience with local orthopaedic pathology and treatment modalities but also in medical education of undergraduate students and primary care physicians. To centre this book around our students, iterative rounds of revising and updating the individual chapters are ongoing, to eliminate expert blind spots and create transformation of knowledge.

## DISCLAIMERS

Although the authors, editor and publisher of this book have made every effort to ensure that the information provided was correct at press time, they do not assume and hereby disclaim any liability to any party for any loss, damage, or disruption caused by errors or omissions, whether such errors or omissions result from negligence, accident, or any other cause.

This textbook is not intended as a substitute for the medical advice of physicians. The reader should regularly consult a physician in matters relating to his/her health and particularly with respect to any symptoms that may require diagnosis or medical attention.

The information in this book is meant to supplement, not replace, Orthopaedic primary care training. The authors, editor and publisher advise readers to take full responsibility for their safety and know their limits. Before practicing the skills described in this book, be sure that your equipment is well maintained, and do not take risks beyond your level of experience, aptitude, training, and comfort level.

The individual authors of each chapter are responsible for consent and rights to use and publish images in this book.

© The Authors 2021



Licensed under a Creative Commons Attribution (CC BY) 4.0 International Licence.

## ACKNOWLEDGEMENTS

This work was carried out with the aid of a grant from the International Development Research Centre, Ottawa, Canada. Thanks to Johan Fagan, Michelle Willmers and Glenda Cox for their mentorship and support.