

ORTHOPAEDICS



FOR PRIMARY
HEALTH CARE



LION

LEARNING INNOVATION VIA
ORTHOPAEDIC NETWORKS

EDITOR: **MICHAEL HELD**

UNIVERSITY OF CAPE TOWN'S **ORTHOPAEDIC DEPARTMENT**

Acute tendon injuries


by Pieter Jordaan, Neil Kruger & Ian Koller

Learning objectives


1. A penetrating wound associated with a deficit in tendon function should be regarded as an acute injury to either the tendon or nerve supplying the muscle-tendon unit.
2. Thorough knowledge of anatomy and hand function is essential to recognise these injuries.
3. All suspected tendon injuries should be referred for specialist review.

Definition and anatomy

Any injury leading to tendon dysfunction should be assessed for a tendon injury. The specific forearm anatomy and function of each tendon will not be discussed here, but it should be revised to understand tendon injuries better. Tendon injuries are broadly divided into extensor and flexor injuries subdivided into zones. Injuries in the proximal forearm that result in tendon dysfunction are more likely to be nerve injuries.



Extensor tendon zones



Flexor tendon zones

Mechanism of injury

In the majority of cases, the mechanism of injury is penetrating trauma. Closed tendon ruptures occur in Mallet finger injuries, acute Boutonniere deformity, EPL rupture in distal radius fractures and extensor tendon ruptures in rheumatoid arthritis.

Differential diagnosis

- Nerve injury leading to dysfunction (nerve and tendon injury often coexist).
- Pain inhibition.
- Underlying fractures or dislocations.

Diagnosis

The diagnosis is made by taking a good history and examining each tendon individually.

History

Patients with penetrating hand or forearm injury will usually present due to the recent trauma. In closed ruptures, patients may give a history of preceding pain, followed by acute worsening pain or feeling of tearing, associated with a sudden loss in function.

Examination

Look for the specific area of the laceration which will guide you as to what injuries to expect.

For the extensor tendons, there will be an evident extensor lag (inability to extend the digit fully) or resisted extension will be weak or painful. This can also

indicate a partial injury. The tendon injury may be some way from the entrance wound in penetrating trauma. It may even be on the other side, for example, flexor injuries from a dorsal stab that penetrates the interosseous membrane

The Mallet injury (closed extensor rupture of the insertion on the distal phalanx) causes an inability to extend the distal phalanx actively. An acute Boutonniere deformity (closed rupture of the central slip off the base of the middle phalanx) is a rare injury. It is associated with a weak extension of the middle phalanx confirmed with Elson's test.

For the flexor tendons, each tendon should be examined individually, including FDS and FDP of each finger. Closed flexor ruptures are rare, but can be associated with inflammatory conditions (RA) or following plating of distal radius fractures or can occur as a Jersey finger (a closed injury where the FDP insertion avulses of the base of the distal phalanx). Flexor tendon injuries are often associated with nerve injuries, and these should be actively excluded.

Certain injuries will leave no functional deficit, for example, an injury to palmaris longus or if only a single wrist extensor or flexor has been injured.

Special investigations

You do not need special investigations to diagnose acute tendon injuries. A baseline X-ray should be performed to exclude underlying fractures or retained foreign bodies. If there is doubt about a closed rupture, an ultrasound may be useful.

Management

All suspected tendon injuries should be referred.

Non-surgical

- Closed Mallet and Boutonniere injuries can be managed in a splint.

Surgical

- All other tendon injuries are managed with surgical repair or reconstruction and a strict therapy regime. Outcome after surgery depends significantly on the patient's compliance with rehabilitation instructions.

- If no rehabilitation is available, the patient should be referred to a specialist centre as repair without post-operative rehabilitation is of minimal benefit to the patient.

Complications

- Stiffness and permanent functional impairment.

Pitfalls

- Missing tendon injuries due to a lack of careful examination of each individual tendon or insufficient knowledge of anatomy.
- Missing associated nerve injuries or underlying fractures.

References

Hammert WC, Calfee RP, Bozentka DJ, Boyer MI, 2010. ASSH Manual of Hand Surgery; Lippincott, Williams and Wilkins (Wolters Kluwer); Philadelphia, USA.

Jordaan PW, Watts AC. Acute tendon injuries; Orthopaedics and Trauma 2019; 33(1): 54–61

Miller MD, 2008. Review of Orthopaedics, 5th edition; Elsevier; Philadelphia, USA.

Wolfe SW, Hotchkiss RN, Pederson WC, Kozin SH, Cohen MS, 2017. Green's Operative Hand Surgery, 7th Edition; Elsevier; Philadelphia, USA.

Assessment

A 20-year-old male presents with a stab wound to the back of his hand and inability to extend his index finger. What tendon or tendons has he injured?

- A. EPL
- B. EDC to the index finger
- C. EIP
- D. EDC to the index finger and EIP
- E. EDC to the index finger, EIP and ECU

The correct answer is (D), EDC to the index finger and EIP.

Editor: Michael Held

Conceptualisation: Maritz Laubscher & Robert Dunn

Cover design: Carlene Venter
(Creative Waves Brand Design)

Developmental editing and design:
Vela Njisane and Phinda Njisane

ABOUT THE BOOK

Informed by experts: Most patients with orthopaedic pathology in low to middle-income countries are treated by non-specialists. This book was based on a modified Delphi consensus study* with experts from Africa, Europe, and North America to provide guidance to these health care workers. Knowledge topics, skills, and cases concerning orthopaedic trauma and infection were prioritised. Acute primary care for fractures and dislocations ranked high.

Furthermore, the diagnosis and the treatment of conditions not requiring specialist referral were prioritised.

* Held et al. Topics, Skills, and Cases for an Undergraduate Musculoskeletal Curriculum in Southern Africa: A Consensus from Local and International Experts. JBJS. 2020 Feb 5;102(3):e10.

THE LION

The Learning Innovation via Orthopaedic Network (LION) aims to improve learning and teaching in orthopaedics in Southern Africa and around the world. These authors have contributed the individual chapters and are mostly orthopaedic surgeons and trainees in Southern Africa who have experience with local orthopaedic pathology and treatment modalities but also in medical education of undergraduate students and primary care physicians. To centre this book around our students, iterative rounds of revising and updating the individual chapters are ongoing, to eliminate expert blind spots and create transformation of knowledge.

DISCLAIMERS

Although the authors, editor and publisher of this book have made every effort to ensure that the information provided was correct at press time, they do not assume and hereby disclaim any liability to any party for any loss, damage, or disruption caused by errors or omissions, whether such errors or omissions result from negligence, accident, or any other cause.

This textbook is not intended as a substitute for the medical advice of physicians. The reader should regularly consult a physician in matters relating to his/her health and particularly with respect to any symptoms that may require diagnosis or medical attention.

The information in this book is meant to supplement, not replace, Orthopaedic primary care training. The authors, editor and publisher advise readers to take full responsibility for their safety and know their limits. Before practicing the skills described in this book, be sure that your equipment is well maintained, and do not take risks beyond your level of experience, aptitude, training, and comfort level.

The individual authors of each chapter are responsible for consent and rights to use and publish images in this book.

© The Authors 2021



Licensed under a Creative Commons Attribution (CC BY) 4.0 International Licence.

ACKNOWLEDGEMENTS

This work was carried out with the aid of a grant from the International Development Research Centre, Ottawa, Canada. Thanks to Johan Fagan, Michelle Willmers and Glenda Cox for their mentorship and support.