

Wiki text may contain the following markup and macros. Markup syntax provides simple text styles such as bold, italic and lists. Macros provide more complex formatting for items such as tables, images and attachments. The Wiki dialect used is based on [Radeox](#).

## Editor shortcuts

You can insert common markup and macros using the toolbar at the top of the wiki page editor. Editor shortcuts include bold, italic, headings, tables, links, and uploading attachments.

## Text formatting

Markup	Result	Comment
<code>__bold__</code>	<b>bold</b>	Bold text
<code>~~italics~~</code>	<i>italics</i>	Italic text
<code>--strike--</code>	<del>strike</del>	Strike-through text
<code>h1 Title</code>	Level-1 heading	Level-1 heading
<code>h2 Title</code>	Level-2 heading	Level-2 heading
<code>h3 Title</code>	Level-3 heading	Level-3 heading
<code>- text</code>	Bulleted list	Bulleted list
<code>* text</code>	Bulleted list	Bulleted list
<code># text</code>	1, 2, 3	An enumerated list
<code>a. text</code>	a, b, c	Alphabetical enumerated list
<code>A. text</code>	A, B, C	Uppercase alphabetical enumerated list
<code>i. text</code>	i, ii, iii	Roman enumerated list
<code>I. text</code>	I, II, III	Uppercase Roman enumerated list
<code>g. h. k. j.</code>		Enumerated lists for Greek, Hiragana, Katakana and Hebrew
<code>(empty line)</code>		New paragraph
<code>\\</code>		Line break
<code>[Home]</code>	<a href="#">Home</a>	Internal link to another page
<code>http://snipsnap.org/</code>	<a href="http://snipsnap.org/">http://snipsnap.org/</a>	Link to an external resource.
<code>\X</code>	X	Escape special wiki character X, for example { and }

## Macros

Each macro has a name, and a list of optional parameters, separated by | where there is more than one. The syntax for macros is:

```
{macroname:attribute=value|unamedvalue|other=values... } contents
{macroname}
```

Macro	Description	Parameters
code	Displays a chunk of source code with syntax highlighting.	Code language: java, xml, ..., none
image	Includes an image in the page	img: path to the file alt: (optional) ALT text target: target window
index	Lists all pages in a given space	(optional) space to index, defaults to the space of the current page.
link	Link to a URL	text: link text url: link URL img: (optional) small URL image to display target: (optional) target window
mailto	Links to an email address	Email address to link
quote	Displays a quotation	(Optional) Source URL (Optional) Source link text
recent-changes	Displays a list of recently changed pages	
table	Displays a table	none

## Examples

Including an image

- `{image:worksite:/wikiimages/sunflowers.gif|Sunflowers}`

Linking to an external page (with an alias)

- `{link:Google|http://www.google.com}`

Linking to an email address

- `{mailto:someone@some.domain}`

## Advanced Macros

Supported macros not described above include `api`, `api-docs`, `asin`, `file-path`, `hello`, `inter-wiki`, `isbn`, `math`, `rfc`, and `xref`. Details of all supported macros can be seen by including this macro in any wiki page:

`{list-of-macros}`